

CONFIDENTIAL

Memorandum

TO : Director of Training

DATE: 8 October 1965

FROM : Chief, Language Training School

SUBJECT: Weekly Activities Report No. 30

A. SIGNIFICANT ITEMS

None to report.

B. OTHER ACTIVITIES

1. The DDP intensive German testing was completed 1 October; 63 individuals were tested. Statistical resumés of the French and German tests will be made upon receipt of the machine runs from TRO/DDP. The machine runs will have been marked to indicate personnel unavailable for testing at this time and the reasons.

2. Testing of EOD's immediately upon their entrance on duty has been initiated. Although the anticipated average volume will be 4-5 per week, 20 tests for 16 individuals were scheduled the first week of the program, and 13 tests for 10 individuals the second week.

3. A class in Spoken Thai is to be started next week for 1 DDP student. This class will be conducted at [REDACTED]

4. [REDACTED] will attend the annual meeting of the African Studies Association to be held in Philadelphia 28-30 October. There will be several papers read dealing with African languages, and it will also afford him an opportunity to follow up on many of the contacts he made with Africanists this summer at Michigan State University, and in the past. Many of these contacts have led to the Agency being able to obtain valuable teaching materials.

DOCUMENT NO. _____

NO CHANGE IN CLASS. ☒☐ DECLASSIFIED


CLASS. CHANGED TO: TS S C

NEXT REVIEW DATE: 2012

AUTH: HR 70-2

DATE: 20-1-82 REVIEWER: 006/99

Approved For Release 2000/08/30 : CIA-RDP78-06096A000300050013-0

CONFIDENTIAL

25X1A

5. At the invitation of Defense Language Institute, [REDACTED] attended a briefing for DLI given by Army Security Agency. Included in the briefing was an interesting demonstration of new techniques for training transcribers of foreign language materials.

6. At the invitation of FSI, [REDACTED] attended a demonstration at FSI made by Kenneth Pike, a well-known linguist, on the subject of field methods in linguistics.

25X1A

[REDACTED]
25X1A